CERTIFICADO DE ANÁLISIS DEL LOTE

# Lebanon

| | |
|---|---|
| LOTE | **A14989-6** |
| MARCA | Mandala |
| PRODUCTO | Resina de cáñamo |
| FECHA DE ANÁLISIS | 15 de diciembre de 2025 |
| LABORATORIO | SFP d.o.o. (Spectral Fingerprints), Liubliana — Ivan Plantan / Tina Pungartink |
| PROVEEDOR | Canna b2b, s.r.o. |

**10,3 %**
CBD TOTAL

**0,234 %**
THC TOTAL

**Las páginas siguientes son el informe del laboratorio, sin modificar en su contenido.** Esta portada no lo firma ni lo altera: solo indica bajo qué nombre comercializamos este lote. La huella de abajo es la del fichero original tal y como lo entregó el proveedor, archivado aparte. Recalcularla sobre el documento adjunto permite comprobar que no se ha tocado.

`SHA-256 del original · 02a834a8104d7f74f2ffa30a71c6ff33ce032a42a6cf71c24efdcebb7bc4dd3e`

SPECTRALFINGERPRINTS

# CERTIFICATE OF ANALYSIS

*ADVANCED CANNABIS ANALYTICS*
www.spectralfingerprints.com

## CBD Lebanese Hash


Product description: /
Batch number: na
Sample type: biomass
SFP id: V13831
Sample received date: 2025-11-04
Remarks: /

## Analysis ID: A14989-6

Method id:
GCMS_GC_FID_general_with_HPLC_v1.0
Date of aquisition: 2025-11-04
Date of processing: 2025-11-05
Date of approval: 2025-12-15
Remarks: /

## Customer

Canna b2b, s.r.o.
Žižkova 708
261 01 Příbram
Czech Republic




## Assay of Main/Natural Cannabinoids

| Short | Substance name | Assay % | M.U. |
|---|---|---|---|
| CBG | Cannabigerol | 0.25 | 0.07 |
| CBC | Cannabichromene | 0.34 | 0.10 |
| CBGV | Cannabigerivarin | ND | ND |
| CBDV | Cannabidivarin | 0.04 | 0.02 |
| CBCV | Cannabichromevarin | ND | ND |
| CBN | Cannabinol | 0.06 | 0.02 |
| CBD | Cannabidiol | 5.30 | 0.69 |
| Δ8-THC | Δ8-tetrahydrocannabinol | ND | ND |
| Δ9-THC | Δ9-tetrahydrocannabinol | 0.19 | 0.08 |
| CBV | Cannabivarin | ND | ND |
| CBL | Cannabicyclol | 0.03 | 0.01 |
| CBE | Cannabielsoin | 0.15 | 0.06 |
| Δ8-THCV | Δ8-tetrahydrocannabivarin | ND | ND |
| Δ9-THCV | Δ9-tetrahydrocannabivarin | ND | ND |
| THCA | Δ9-Tetrahydrocannabinolic acid | 0.05 | 0.02 |
| CBDA | Cannabidiolic acid | 5.70 | 0.74 |
| CBGA | Cannabigerolic acid | 0.44 | 0.13 |
| CBDVA | Cannabidivarinic acid | 0.05 | 0.02 |
| THCVA | Δ9-Tetrahydrocannabivarinic acid | ND | ND |
| CBCA | Cannabichromenic acid | 0.33 | 0.10 |
| CBT | Cannabicitran | 0.09 | 0.03 |
| CBDB | Cannabidibutol | <LOQ | ND |

Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection) coupled with GC-MS (Gas Chromatography-Mass Spectrometry). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values bellow quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - bellow detection limit (lower than 0.01 % respectively 100 mg/kg). Acid forms are determined using HPLC method with DAD detector with LOQ = Values bellow quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - bellow detection limit (lower than 0.01 % respectively 100 mg/kg).

## Assay of semisynthetic and synthetically derived cannabinoids

| Short | Substance name | Assay % | M.U. |
|---|---|---|---|
| iso-THC | Δ8-iso-Tetrahydrocannabinol | ND | ND |
| S-HHC | 9S-Hexahydrocannabinol | ND | ND |
| R-HHC | 9R-Hexahydrocannabinol | ND | ND |
| R-HHCP | 9R-Hexahydrocannabiphorol | ND | ND |
| S-HHCP | 9S-Hexahydrocannabiphorol | ND | ND |
| d9-THCP | Trans-Δ9-tetrahydrocannabiphorol | ND | ND |
| CBDP | cannabidiphorol | ND | ND |
| RH4CBD | R-Tetrahydrocannibidiol | ND | ND |
| SH4CBD | S-Tetrahydrocannibidiol | ND | ND |
| d8-THCP | Trans-Δ8-Tetrahydrocannabiphorol | ND | ND |
| CBND | Cannabinodiol | 0.02 | 0.01 |
| ciso-HHC | cis-iso-Hexahydrocannabinol | ND | ND |
| tiso-HHC | trans-iso-Hexahydrocannabinol | ND | ND |
| H2CBD | 8,9-Dihydrocannabidiol | ND | ND |
| d9-THCB | Δ9-Tetrahydrocannabibutol | ND | ND |
| 9R-HHCAc | 9R-Hexahydrocannabinol Acetate | ND | ND |
| Δ10-THC | Δ10-Tetrahydrocannabinol | ND | ND |
| CBGAc | Cannabigerol acetate | ND | ND |
| S-HHCAc | 9S-Hexahydrocannabinol acetate | ND | ND |
| CBGmAc | Cannabigerol monoacetate isomer | ND | ND |
| CBNAc | Cannabinol acetate | ND | ND |
| Δ9-THCC8 | Δ9-THC-C8 | ND | ND |
| Δ8-THCC8 | Δ8-THC-C8 | ND | ND |
| CBNP | Cannabiphorol | ND | ND |
| Δ3-THC | 9(R)-Δ6a,10a-THC | ND | ND |
| Δ7-THC | 9(S)-Δ7-THC | ND | ND |
| Δ9-THCH | Δ9-THCH | ND | ND |
| Δ8-THCH | Δ8-THCH | ND | ND |
| Δ9-THCO | Δ9-THC Acetate | ND | ND |
| Δ8-THCO | Δ8-THC Acetate | ND | ND |
| Δ9-THCPO | Δ9-THCP Acetate | ND | ND |
| Δ8-THCPO | Δ8-THCP Acetate | ND | ND |
| Δ8-THCHO | Δ8-THCH Acetate | ND | ND |
| Δ9-THCVO | Tetrahydrocannabivarin Acetate | ND | ND |
| Δ8-THCVO | Δ8-Tetrahydrocannabivarin Acetate | ND | ND |
| Δ8-THCBO | Δ9-THCB Acetate | ND | ND |
| S-HHCC8 | 9(S)-Hexahydrocannabinol-C8 | ND | ND |
| R-HHCC8 | 9(R)-Hexahydrocannabinol-C8 | ND | ND |
| R-HHCH | 9(R)-Hexahydrocannabihexol | ND | ND |
| S-HHCH | 9(S)-Hexahydrocannabihexol | ND | ND |
| R-HHCB | 9(R)-Hexahydrocannabutol | ND | ND |
| S-HHCB | 9(S)-Hexahydrocannabihexol | ND | ND |
| R-HHCV | 9(R)-Hexahydrocannabivarin | ND | ND |
| S-HHCV | 9(S)-Hexahydrocannabivarin | ND | ND |
| R-HHCPAc | 9(R)-Hexahydrocannabiphorol Acetate | ND | ND |
| S-HHCPAc | 9(S)-Hexahydrocannabiphorol Acetate | ND | ND |
| 10H-RHHC | 10(S)-hydroxy-9(R)-Hexahydrocannabinol | ND | ND |
| OH-HHCP | 10-hydroxy-Hexahydrocannabiphorol | ND | ND |
| MCO-THC | Methyl Carbonate Tetrahydrocannabinol | ND | ND |

Method of Analysis: Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection) coupled wtih GC-MS (Gas Chromatography-Mass Spectrometry). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values bellow quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - bellow detection limit (lower than 0.01 % respectively 100 mg/kg).

## Screening for Spice type compounds and other synthetic cannabinoids

| Short | Substance name | Assay % | M.U. |
|---|---|---|---|
| JWH018 | JWH 018 CAS:209414-07-3 | ND | ND |
| JWH073 | JWH 073 CAS:208987-48-8 | ND | ND |
| JWH122 | JWH 122 CAS:619294-47-2 | ND | ND |
| JWH210 | JWH 210 CAS:824959-81-1 | ND | ND |
| JWH250 | JWH 250 CAS:864445-43-2 | ND | ND |
| AM2201 | AM2201 CAS:335161-24-5 | ND | ND |
| AM694 | AM694 CAS:335161-03-0 | ND | ND |
| AM1248 | AM1248 CAS:335160-66-2 | ND | ND |
| HU210 | HU-210 CAS:112830-95-2 | ND | ND |
| HU211 | HU-211 CAS:112924-45-5 | ND | ND |
| CP47497 | (±)-CP 47,497 CAS:70434-82-1 | ND | ND |
| CP55940 | (±)-CP 55,940 CAS:83003-12-7 | ND | ND |
| UR144 | UR-144 CAS:1199943-44-6 | ND | ND |
| XLR11 | XLR11 CAS:1364933-54-9 | ND | ND |
| AKB48 | APINACA CAS:1345973-53-6 | ND | ND |
| 5FAKB48 | 5-fluoro AKB48 CAS:1400742-13-3 | ND | ND |
| PB22 | PB-22 CAS:1400742-17-7 | ND | ND |
| 5FPB22 | 5-fluoro PB-22 CAS:1400742-41-7 | ND | ND |
| FUB144 | FUB-144 CAS:2185863-15-2 | ND | ND |
| FUBAMB | MMB-FUBINACA CAS:1971007-92-7 | ND | ND |
| ABFUB | AB-FUBINACA CAS:1185282-01-2 | ND | ND |
| ABCHMI | AB-CHMINACA CAS:1185887-21-1 | ND | ND |
| ADBFUB | ADB-FUBINACA CAS:1445583-51-6 | ND | ND |
| ADBPINA | ADB-PINACA CAS:1633766-73-0 | ND | ND |
| MABCHMI | MAB-CHMINACA CAS:1863065-92-2 | ND | ND |
| MDMBCHMI | MDMB-CHMICA CAS:1971007-95-0 | ND | ND |
| 5FADB | (R)-5-fluoro ADB CAS:1838134-16-9 | ND | ND |
| CUMYPINA | 5-fluoro CUMYL-PINACA CAS:1400742-16-6 | ND | ND |
| AFB48 | AKB48 N-(4-fluorobenzyl) analog CAS:2180933-90-6 | ND | ND |
| 5FAMB | 5-fluoro AMB CAS:1801552-03-3 | ND | ND |
| 5FABICA | 5-fluoro ABICA CAS:1801338-26-0 | ND | ND |
| 5FSDB006 | 5-fluoro SDB-006 CAS:1776086-02-2 | ND | ND |
| ADTHPIN | ATHPINACA isomer 1 CAS:1400742-48-4 | ND | ND |
| ADBCHMI | ADB-CHMICA CAS:2221100-70-3 | ND | ND |
| SGT67 | 5-fluoro CUMYL-PICA CAS:1400742-18-8 | ND | ND |
| CUMPINA | CUMYL-PINACA CAS:1400742-15-5 | ND | ND |
| CUMP7AIC | 5-fluoro CUMYL-P7AICA CAS:2171492-36-5 | ND | ND |
| CUMPICA | CUMYL-PICA CAS:1400742-32-6 | ND | ND |
| SDB006 | SDB-006 CAS:695213-59-3 | ND | ND |
| ABPINA | AB-PINACA CAS:1445752-09-9 | ND | ND |
| SGT78 | 4-cyano CUMYL-BUTINACA CAS:1631074-54-8 | ND | ND |
| 5FMD2201 | 5-fluoro MDMB-PICA CAS:1971007-88-1 | ND | ND |
| 4FMDBIN | 4-fluoro MDMB-BUTINACA CAS:2390036-46-9 | ND | ND |
| MD4enPIN | MDMB-4en-PINACA CAS:2504100-70-1 | ND | ND |
| 4FMDBIC | 4-fluoro MDMB-BUTICA CAS:2682867-53-2 | ND | ND |
| CUMPEGA | CUMYL-PeGACLONE CAS:2160555-55-3 | ND | ND |
| ADBBUTI | ADB-BUTINACA CAS:2682867-55-4 | ND | ND |
| 5FCUMPeG | 5-fluoro CUMYL-PeGACLONE CAS:2377403-49-9 | ND | ND |
| ADB4PIN | ADB-4en-PINACA CAS:2666932-44-9 | ND | ND |
| 5FMBPICA | 5-fluoro EDMB-PICA CAS:2666934-54-7 | ND | ND |
| 5BrAKB48 | 5-bromo APINACA CAS:2160555-51-9 | ND | ND |

| Short | Substance name | Assay % | M.U. |
|---|---|---|---|
| 5FEPIC | 5-fluoro EMB-PICA CAS:2648861-83-8 | ND | ND |
| MD5BrIN | MDMB-5Br-INACA CAS:MD5BrIN | ND | ND |
| ADB5BrIN | ADB-5Br-INACA CAS:ADB5BrIN | ND | ND |
| EADBFU | 5,3-ADB-4en-PFUPPYCA CAS:EADBFU | ND | ND |
| FUACADB | ADB-FUBIATA CAS:2938025-73-9 | ND | ND |
| AP5BIN | ADB-5'Br-PINACA CAS:AP5BIN | ND | ND |
| SGT152 | CUMYL-NBMINACA CAS:1631074-60-6 | ND | ND |
| ADBHEX | ADB-HEXINACA CAS:ADBHEX | ND | ND |
| RCS4 | RCS-4 CAS:1345966-78-0 | ND | ND |
| FAP7A | 5-fluoro 7-APAICA CAS:2682867-58-7 | ND | ND |
| BZHEX | MDA 19 CAS:1048973-47-2 | ND | ND |
| BZPOX | BZO-POXIZID CAS:1048973-64-3 | ND | ND |
| CUCHM | CUMYL-CH-MeGACLONE CAS:2813950-07-9 | ND | ND |
| 7APICA | AP7AICA CAS:2366269-62-5 | ND | ND |
| CMP7CA | CUMYL-P7AICA CAS:2366268-31-5 | ND | ND |
| EDMBPIN | EDMB-PINACA CAS:2666934-55-8 | ND | ND |
| MDMBPIN | MDMB-PINACA CAS:1971007-99-4 | ND | ND |
| MDMBBUTI | MDMB-BUTINACA CAS:3039541-81-3 | ND | ND |
| MDMB5INA | MDMB-5Me-INACA | ND | ND |
| EDMB4PIN | EDMB-4en-PINACA CAS:EDMB4PIN | ND | ND |
| MDMBrPIN | MDMB-5'Br-4en-PINACA CAS:MDMBrPIN | ND | ND |

Method of Analysis: Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection) coupled with GC-MS (Gas Chromatography-Mass Spectrometry). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. LOQ = Values bellow quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - bellow detection limit (lower than 0.01 % respectively 100 mg/kg).

Issued by SFP d.o.o., Ljubljana, Slovenia. These resuts relate only to the test article listed in this report. Any reproduction of this document is not allowed without the permit of SFP d.o.o.

This certificate was reviewed by Ivan Plantan PhD, quality control on 2025-12-15.

This certificate was approved by Tina Pungartink, director on 2025-12-15.